



Docket 86171SLP  
Customer No. 01333

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of

David P. Trauernicht, et al

STORAGE PHOSPHOR READOUT  
SYSTEM USING RESONANT  
MICROCAVITY CONVERTER

Serial No. US 10/718,429

Filed November 20, 2003

Group Art Unit: 2884

Examiner: David S. Baker

I hereby certify that this correspondence is being  
deposited today with the United States Postal Service  
as first class mail in an envelope addressed to  
Commissioner For Patents, P.O. Box 1450, Alexandria,  
VA 22313-1450.

*Laurie A. Wurtz*  
LAURIE A. WURTZ  
*June 14, 2006*  
DATE

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA. 22313-1450

Sir:

**REQUEST FOR EXTENSION OF TIME**  
**UNDER 37 C.F.R. 1.17 AND 1.136**

CHECK ONE:

- ☒ Applicants petition for an extension of 3 months from  
the expiration date of the shortened time period set by  
the Office Action dated December 14, 2005.
- ☐ Applicants petition for a further extension of month from  
the expiration date of the extension requested by Applicants  
in the Request dated .

**Please charge the fee to Eastman Kodak Company Deposit Account No.  
05-0225. A duplicate copy of this request is enclosed.**

06/19/2006 EAREGAY1 00000019 050225 10718429  
01 FC:1253 1020.00 DA

Respectfully submitted,

*Susan L. Parulski*  
\_\_\_\_\_  
Attorney for Applicants  
Registration No. 39,824

Susan L. Parulski /law  
Telephone: 585-477-4027  
Facsimile: 585-477-4646

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the  
Examiner is requested to communicate with Eastman Kodak Company Patent Operations at  
(585) 477-4656.